

PTO-1449 REPRODUCED				ATTORNEY DOCKET NO. BWT06-04(Lein)		APPLICATION SERIAL NO. 10/576,718	
INFORMATION DISCLOSURE CITATION IN AN APPLICATION (Use several sheets if necessary)				APPLICANT Daniel John Daly			
				FILING DATE April 21, 2006		GROUP Not Yet Known	
U.S. PATENT DOCUMENTS							
EXAM- INER INI- TIAL		DOCUMENT NUMBER	DATE mm/dd/yy	NAME	CLASS	SUB-CLASS	FILING DATE IF APPROPRIATE
		US2002/0171804 A1	11/21/02	Rathjen	351	221	07/02/01
		US2003/0211625	11/13/03	Cohan	436	95	04/01/03
		US2003/0225321	12/04/03	Cote	600	318	05/27/03
		US2003/0233036	12/18/03	Ansari	600	316	06/14/02
		US2004/0080759	04/29/04	Shaver	356	609	10/15/03
		US2004/0260159	12/23/04	Gerlitz	600	319	08/12/04
		US2004/0087843	05/06/04	Rice	600	319	08/15/03
		US2004/0138539	07/15/04	Jay	600	322	01/07/04
		US2004/0152963	08/05/04	March	600	319	03/26/04
		US2004/0257585	12/23/04	Cornsweet	356	517	02/25/04
		3,958,560	05/25/76	March	600	319	11/25/74
		3,963,019	06/15/76	Quandt	600	319	11/24/74
		4,014,321	03/29/77	March	600	319	10/06/75
		4,154,114	05/15/79	Katz	73	629	12/02/77
		4,407,008	09/27/83	Schmidt	348	79	10/07/81
		4,750,830	06/14/88	Lee	351	211	11/29/85
		4,806,004	02/21/89	Wayland	359	389	07/10/87
		5,209,231	05/11/93	Cote	600	310	11/02/90
		5,433,197	07/18/95	Stark	600	319	09/04/92
		5,553,617	09/10/96	Barkenhagen	600	318	01/20/95
		5,582,168	12/10/96	Samuels	600	407	01/22/93
		5,785,651	07/28/98	Kuhn	600	310	06/07/95
		5,820,557	10/13/98	Hattori	600	319	02/27/97
		5,880,465	03/09/99	Boettner	250	234	05/31/96
		5,961,449	10/05/99	Toida	600	319	08/24/98
		6,066,847	05/23/00	Rosenthal	250	252.1	02/01/94

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /EB/

PTO-1449 REPRODUCED INFORMATION DISCLOSURE CITATION IN AN APPLICATION (Use several sheets if necessary)				ATTORNEY DOCKET NO. BWT06-04(Lein)		APPLICATION SERIAL NO. 10/576,718	
				APPLICANT Daniel John Daly			
				FILING DATE April 21, 2006		GROUP Not Yet Known	
U.S. PATENT DOCUMENTS							
EXAM- INER INI- TIAL	DOCUMENT NUMBER	DATE mm/dd/yy	NAME	CLASS	SUB-CLASS	FILING DATE IF APPROPRIATE	
	6,152,875	11/28/00	Hakamata	600	319	11/28/98	
	6,181,957	01/30/01	Lambert	600	319	07/12/99	
	6,187,599	02/13/01	Asher	436	531	07/07/98	
	6,188,477	02/13/01	Pu	356	491	05/04/99	
	6,267,477	07/31/01	Karpol	351	221	08/21/98	
	6,382,794	05/7/02	Lai	351	212	9/27/99	
	6,424,850	07/23/02	Lambert	600	319	10/16/00	
	6,442,410	08/27/02	Steffes	600	319	06/09/00	
	6,574,501	06/03/03	Lambert	600	473	01/09/01	
	6,585,723	07/01/03	Sumiya	606	5	09/02/99	
	6,836,337	12/28/04	Cornsweet	356	517	09/19/02	
	6,853,854	02/08/05	Proniewicz	600	319	01/21/00	
	6,934,035	08/23/05	Yang	356	485	12/18/01	
	6,961,599	11/01/05	Lambert	600	318	03/25/03	
FOREIGN PATENT DOCUMENTS							
DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB-CLASS	TRANSLATION YES NO		
EP 0589191	08/01/84	UK	G01B	11/24	X		
GB 2 144 537	03/06/85	GB	G01B	08/01/84	X		
WO 93/07801	04/29/93	PCT	A61B	5/00	X		
WO 97/13448	04/17/97	PCT	A61B	-	Abstr- act only		
WO 99/44496	09/10/99	PCT	A61B	5/00 3/117	X		
WO 00/60350	10/12/00	PCT	G01N	33/483	X		
WO 2004/034894 A1	04/29/04	PCT	A61B	3/10	X		
WO 2005/120334	12/22/05	PCT	A61B	5/00	X		
WO 2004/064628	08/05/04	PCT	A61B	5/00	Abstr- act only		

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /EB/

PTO-1449 REPRODUCED		ATTORNEY DOCKET NO. BWT06-04(Lein)	APPLICATION SERIAL NO. 10/576,718
INFORMATION DISCLOSURE CITATION IN AN APPLICATION (Use several sheets if necessary)		APPLICANT Daniel John Daly	
		FILING DATE April 21, 2006	GROUP Not Yet Known
		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)	
		Anumula, H., Nezhuvungal, A., Li, Y., Cameron, B., "Development of a Non-invasive Corneal Birefringence Compensated Glucose Sensing Polarimeter", Proc. SPIE Vol. 4958, p. 303-312, Advanced Biomedical and Clinical Diagnostic Systems, Jul 2003	
		Arnold, M., "Noninvasive Laser Measurement of Blood Glucose in the Eye: A Bright idea or an Optical Illusion", Diabetes Technology and Therapeutics, Vol. 1, No. 2, 1999	
		Baba, J., Cameron, B., Cote, G., "Effect of temperature, pH, and corneal birefringence on polarimetric glucose monitoring in the eye", Journal of Biomedical Optics 7(3), 321 - 328 (July 2002)	
		Baba, J., Cote, G., "Dual-detector polarimetry for Compensation of Motion Artifact in a Glucose Sensing System", Optical Diagnostics and Sensing of Biological Fluids and Glucose and Cholesterol Monitoring II, Proc. SPIE Vol. 4624 (2002), pp 76 - 80	
		Bockle, S., Rovati, L., Ansari, R., "Polarimetric glucose sensing using the Brewster-reflection off the eye lens: theoretical analysis", Proceedings of SPIE - Volume 4624 Optical Diagnostics and Sensing of Biological Fluids and Glucose and Cholesterol Monitoring II, May 2002, pp. 160-164	
		Borchert M, Storrie-Lombardi M, Lambert J "A non-invasive glucose monitor: preliminary results in rabbits" Diabetes Technology & Therapeutics 1999; 1: 145-151	
		Cameron, B., Gorde, M., Satheesan, B., Cote, G., "The Use of Polarized Laser Light Through the Eye for Noninvasive Glucose Monitoring", Diabetes Technology and Therapeutics, Vol. 1, No. 2, 1999	
		Chou C, Lin P-K "Noninvasive glucose monitoring with optical heterodyne Technique" Diabetes Technology & Therapeutics 2000; 2: 45-47	
		Cote, G., "Non-Invasive and Minimally Invasive Optical Monitoring Technologies", Symposium of Innovative Non- or Minimally Invasive Technologies for Monitoring Health and Nutritional Status in Mothers and Young Children, August 2000, Children's Research Center, Baylor College of Medicine, Houston, TX.	
		Khalil, O., "Non-Invasive Glucose Measurement Technologies: An Update from 1999 to the Dawn of the New Millennium", Diabetes Technology and Therapeutics, Vol. 6, No. 5, 2004, pp. 660 - 697	
		Li, H., Petroll, W., Moller-Pederson, T., Maurer, J, Cavanagh, H., Jester, J., "Epithelial and Corneal Thickness Measurements by in vivo confocal microscopy through focusing (CMTF)", Current Eye Research; (16): 214-221, 1997	
		Li, J., Jester, J., Cavanagh, H., Black, T., Petroll, W., "On-Line 3-Dimensional Confocal Imaging In Vivo", Investigative Ophthalmology and Visual Science, Sept 2000, Vol. 41, No. 10, pp. 2945 - 2953	
		Liu, J., Bagherzadeh, M., Hitzengerger, C., Pircher, M., Zawadzki, R., Fercher, A., "Glucose dispersion measurement using white-light LCI", Coherence Domain Optical Methods and Optical Coherence Tomography in Biomedicine VII, Proceedings of the SPIE, Volume 4956, pp. 348-351 (2003)	
		March, W., "Analysis: A Noninvasive Ocular Glucose Sensor", Diabetes Technology & Therapeutics, Jun 2001, Vol. 3, No. 2: 209-210	
		March, W., Mueller, A., Herbrechtsmeier, P., "Clinical Trial of a Non-invasive Contact Lens Glucose Sensor", Diabetes Technology and Therapeutics, Vol. 6, No. 6, 2004, pp 782 - 789	
		March, W., Ochsner, K., Horna, J., "Intraocular Lens Glucose Sensor", Diabetes Technology & Therapeutics, May 2000, Vol. 2, No. 1: 27-30	
		Masters, B. and Bohnke, M., "Three-Dimensional Confocal Microscopy of the Living Human Eye", Annu. Rev. Biomed. Eng. 2002, 4:69-91	
		McLaren, J., Nau, C., Erie, J., Bourne, W., "Corneal Thickness Measurement by Confocal Microscopy, Ultrasound, and Scanning Slit Methods", American Journal of Ophthalmology, June 2004, pp. 1011 - 1020	
		McLaren, J., Nau, C., Erie, J., Bourne, W., "Corneal Thickness Measurement by Confocal Microscopy, Ultrasound, and Scanning Slit Methods", American Journal of Ophthalmology, February 2005, pp. 391-392, Editorial Response	
		Rawer, R., Stork, W., Kreiner, C., "Non-invasive polarimetric measurement of glucose concentration in the anterior chamber of the eye", Graefes Arch Clin Exp Ophthalmol (2004) 242: 1017 - 1023	
		Schrader W, Meuer P, Popp J, Kiefer W, Menzebach J-U, Schrader B "Non-invasive glucose determination in the human eye" Journal of Molecular Structure 2005; 735-736: 299-306	
		Sebag, J., Ansari, R., Dunker, S., Suh, K., "Dynamic Light Scattering of Diabetic Vitreopathy", Diabetes Technology and Therapeutics, Vol. 1, No. 2, 1999	
		Steffes P "Laser-based measurement of glucose in the ocular aqueous humor: an efficacious portal for determination of serum glucose levels" Diabetes Technology & Therapeutics 1999; 1: 129-133	

/Etsub Berhanu/ (07/28/2009)

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /EB/